



Vertical Reach: 38.0m



SYG5280THB 38(SZ-AUS) TRUCK-MOUNTED CONCRETE PUMP

Energy-saving

Pump efficiency is increased up to 25% while fuel consumption is decreased by up to 10%.

Safety

Our C8 series truck mounted concrete pump exemplifies Sany's precise, rigorous manufacturing philosophy and uncompromising focus on safety.

Highly Wear Resistant Parts

The highly wear resistant parts improve efficiency and reduce down time.

Self-diagnosis Technology

Continually monitors more than 200 aspects of the system during operation. Faults are displayed on the monitor. Review of the detected faults can reduce troubleshooting time by 70%.

SANY HEAVY INDUSTRY CO., LTD.

SANY Industry Town, Changsha Economic and Technological Development Zone,
Hunan Province, China

Service Line: +86 4006 098 318 E-mail: crd@sany.com.cn

SANY[®]
QUALITY CHANGES THE WORLD.

TECHNICAL SPECIFICATION

Model		SYG5280THB 38(SZ-AUS)		
X-unit Specification	Length(mm)	9330		
	Width(mm)	2550		
	Height(mm)	3650		
	Dead Weight(kg)	18220		
Boom & Outrigger Specification	Vertical reach(m)	38		
	Horizontal reach(m)	34		
	Reach depth(m)	21.5		
	Unfolded reach(m)	8.3		
	1st Section	Length(mm)	8510	
		Articulation(°)	89	
	2nd Section	Length(mm)	7260	
		Articulation(°)	180	
	3rd Section	Length(mm)	6000	
		Articulation(°)	240	
	4th Section	Length(mm)	6100	
		Articulation(°)	180	
	5th Section	Length(mm)	6100	
		Articulation(°)	265	
	Rotation(°)	±360		
Front outrigger spread L-R(mm)	6200			
Rear outrigger spread L-R(mm)	7180			
Pumping System Specification	Output (m ³ /h)	Low-Pressure	200	
		High-Pressure	137	
	Pressure (MPa)	Low-Pressure	8.3	
		High-Pressure	12	
	Max. strokes per minute (times/min)	Low-Pressure	33	
		High-Pressure	22	
	Delivery cylinder diameter(mm)	260		
	Stroke length(mm)	1900		
	Hydraulic system	Open		
	Hydraulic system oil pressure(MPa)	32		
	Oil tank capacity(L)	640		
	Water tank capacity(L)	600		
	Pipeline size(mm)	125		
	End hose length(m)	3		
	End hose diameter(mm)	125		
Chassis Specification	Chassis brand	/		
	Chassis model	/		
	Engine type	/		
	Engine maximum net power(kW/rpm)	/		
	Emission standard	/		
	Capacity of fuel tank (L)	/		
	Displacement(L)	/		
Max. speed(km/h)	/			

